UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/564,956	12/05/2007	Takashi Namari	053547	5396
	7590 11/04/200 I, HATTORI, DANIEL	EXAMINER		
	TICUT AVENUE, NV	HAMAOUI, DAVID E		
WASHINGTON	N, DC 20036		ART UNIT	PAPER NUMBER
			3747	
			NOTIFICATION DATE	DELIVERY MODE
			11/04/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentmail@whda.com

Office Action Summary		А	Application No. App		pplicant(s)				
		1	0/564,956	r	NAMARI ET AL.				
		E	xaminer	,	Art Unit				
		D	AVID HAMAOUI		3747				
Period fo	 The MAILING DATE of this commun Reply 	nication appear	rs on the cover shee	et with the co	rrespondence ad	ldress			
WHIC - Exten after 9 - If NO - Failur Any re	DRTENED STATUTORY PERIOD F HEVER IS LONGER, FROM THE N sions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this comi period for reply is specified above, the maximum s e to reply within the set or extended period for reply sply received by the Office later than three months d patent term adjustment. See 37 CFR 1.704(b).	MAILING DATE s of 37 CFR 1.136(a) munication. tatutory period will all v will, by statute, cau	E OF THIS COMMU). In no event, however, m pply and will expire SIX (6) use the application to becor	UNICATION. ay a reply be timel MONTHS from the me ABANDONED	y filed e mailing date of this c (35 U.S.C. § 133).				
Status									
1)[\]	Responsive to communication(s) file	ed on 08 Sent	ember 2009						
·			tion is non-final.						
′=		<i>7</i> —		matters prose	ecution as to the	e merits is			
•	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Dispositi	on of Claims								
4)⊠	Claim(s) <u>6 and 8-11</u> is/are pending	in the applicati	ion.						
, —	4a) Of the above claim(s) is/are withdrawn from consideration.								
	5) Claim(s) is/are allowed.								
·	6)⊠ Claim(s) <u>6 and 8-11</u> is/are rejected.								
·	Claim(s) is/are objected to.								
•	Claim(s) are subject to restri	ction and/or el	ection requirement						
Application	on Papers								
9)□ -	The specification is objected to by th	e Examiner.							
•	Γhe drawing(s) filed on <u>18 January 2</u>)⊠ accepted or b)∫	objected to	o by the Examin	er.			
	Applicant may not request that any obje								
				-		FR 1.121(d).			
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
Priority u	nder 35 U.S.C. § 119								
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 									
2) Notice (3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (Ination Disclosure Statement(s) (PTO/SB/08) No(s)/Mail Date	PTO-948)	Paper 5) Notice	iew Summary (P No(s)/Mail Date of Informal Pate :)				

Art Unit: 3747

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 4. Claims 6, 9-6, 10-6, are rejected under 35 U.S.C. 103(a) as being unpatentable over Ohira (US 2002/0112711) in view of Kelly (US 5,623,912).
- 5. **In re claim 6**, Ohira discloses (fig 1) [0033 0035] an ignition timing controller, comprising:
 - a crank angle detecting means (10) for generating a crank angle pulse signal for each rotation of a predetermined angle, and for generating the pulse signal immediately before the crank angle corresponding to the top dead center of a piston of said internal combustion engine as a reference pulse signal having an aspect different than an aspect of non-reference crank angle pulse signals; said crank angle detecting means being rotated in association with a crank shaft of an internal combustion engine; and

Art Unit: 3747

- an ignition control means (31) for controlling ignition timing of said internal combustion
 engine in accordance with said crank angle pulse signal;
- wherein in a period from when cranking of said internal combustion engine is started to
 when said crank shaft has completed one rotation, said ignition control means instructs
 spark discharge of an ignition plug of said internal combustion engine for the ignition
 timing in accordance with a reference crank angle pulse signal generated immediately
 after said reference pulse signal, and
- 6. Ohira may be interpreted* as lacking wherein said ignition control means instructs electric supply to an ignition coil in accordance with said reference pulse signal before the instruction of the spark discharge of said ignition plug in the period until said crank shaft is rotated once after the cranking of said internal combustion engine is started.
- 7. *In a prior action, it was argued that the claim language is broad enough to be anticipated by Ohira. Examiner <u>maintains</u> this position. However, for the purpose of compacting prosecution, this limitation will be interpreted as lacking. The reason for this is to demonstrate that even Applicant's *intended* invention [and certainly the *claimed* invention] is unpatentable over the prior art.
- 8. Kelly discloses (col 12, 29 45) an ignition system wherein ignition control means instructs electric supply to an ignition coil in accordance with a reference pulse signal before an instruction of a spark discharge of an ignition plug. Additionally, this technique is well known.
- 9. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Ohira by providing wherein the controller instructs a timed electric supply signal, as taught by Kelly, as it is a known technique and thus within the capability of one having ordinary skill.
- 10. Such a modification would yield wherein said ignition control means instructs electric supply to an ignition coil in accordance with said reference pulse signal before the instruction of the spark discharge of said ignition plug in the period until said crank shaft is rotated once after the cranking of said internal combustion engine is started.

Application/Control Number: 10/564,956

Art Unit: 3747

11. **In re claim 9-6**, Ohira discloses [0037] wherein said crank angle pulse signal including said reference pulse signal is constructed by a negative pulse and a positive pulse constituting a pair, but lacks, wherein said negative pulse is generated correspondingly to the front end of each of said detection portions, and said positive pulse is generated correspondingly to the rear end of each of said detection portions. Rather, Ohira discloses wherein the positive pulse corresponds to the front end of each detection portion and the negative pulse corresponds to the rear end.

Page 4

- 12. However, it would have been obvious to one having ordinary skill in the art to have set the pulses in the claimed manner as these manners are functionally equivalent techniques for their use in the art and the selection of any of these known equivalents would be within the level of ordinary skill in the art.
- 13. **In re claim 10-6**, Ohira discloses [0051] wherein said ignition control means discriminates said reference pulse signal in accordance with the magnitude of a ratio of the generating interval of said negative pulse and the generating interval of said positive pulse.
- 14. Claims 8, 9-8, and 10-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ohira (US 2002/0112711) in view of Kelly (US 5,623,912) in view of Ono (US 6,032,649).
- 15. **In re claim 8**, Ohira discloses (fig 1) wherein said crank angle detecting means comprises:
 - a rotor (11) rotated in association with said crank shaft of said internal combustion engine
 and including projections (20 25), every projection on said rotor being one of a plurality
 of detection portions to be detected at <u>angular</u> intervals on an outer circumference of said
 rotor; and
 - a pickup (30) arranged at the vicinity of the outer circumference of said rotor, said pickup generating said crank angle pulse signals when each of said plurality of detection portions pass therethrough;
 - wherein a selected detection portion (20) among said plurality of detection portions is
 located immediately before the crank angle corresponding to the top dead center of the

Application/Control Number: 10/564,956 Page 5

Art Unit: 3747

piston of said internal combustion engine and is set to generate said reference pulse signal [0033], and

• wherein the respective rear end positions of the plurality of detection portions are located at <u>angular</u> intervals in the rotating direction of said rotor, and a length from a rear end position to a front end position of said selected detection portion is different than lengths from rear end positions to front end positions of non-selected detection portions among said plurality of detection portions (fig 1).

16. Ohira lacks:

- every projection on said rotor being one of a plurality of detection portions to be detected
 at equivalent angle intervals on an outer circumference of said rotor, and
- wherein the respective rear end positions of the plurality of detection portions are located
 at equivalent angle intervals in the rotating direction of said rotor.
- 17. Ono discloses (fig 1) a crank angle detecting means comprising
 - a rotor (1) rotated in association with a crank shaft of an internal combustion engine and including projections (2), every projection on said rotor being one of a plurality of detection portions to be detected at equivalent angle intervals on an outer circumference of said rotor; and
 - wherein a selected detection portion (area of phantom detection portions A) among said plurality of detection is set to generate said reference pulse signal.
- 18. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Ohira by including more projections such that all of the projections are located at equivalent angle intervals on an outer circumference of the rotor, as taught by Ono, as it is a known technique and thus within the capability of one having ordinary skill. (Applicant's remarks concerning what was essentially the same combination as this have been addressed in the prior action dated 3/23/09.)
- 19. In re claim 9-8, see above (In re claim 9-6).
- 20. In re claim 10-8, see above (In re claim 10-6).

Art Unit: 3747

- 21. In re claim 11-8, see above (In re claim 11-6).
- 22. Claims 11-6 and 11-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ohira (US 2002/0112711) in view of Kelly (US 5,623,912) in view of Ono (US 6,032,649) in view of Haimerl et al. (US 2002/0167419).
- 23. In re claim 11, the combination of Ohira / Kelly / Ono has been discussed, but lacks:
 - wherein in the period from when cranking of said internal combustion engine is started to when said crankshaft has completed one rotation, said ignition control means instructs an electric supply to said ignition coil when a value obtained by dividing the generated interval between said negative pulses by the generated interval between said positive pulses is smaller than one, and
 - wherein said ignition control means also instructs the spark discharge of said ignition plug
 when the value obtained by dividing the generated interval between said negative pulses
 by the generated interval between said positive pulses is greater than one.
- 24. Haimerl discloses [0027] wherein ratios of time intervals indicating passing of teeth on a crank angle sensor are utilized to determine a reference signal and ignition timing is determined accordingly. Additionally, Ohira teaches this principle as well [0011], only in the context of determining rotation direction.
- 25. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Ohira / Kelly / Ono by utilizing ratios of time intervals indicating passing of teeth on a crank angle sensor to determine a reference signal and accordingly, ignition timing, as taught by Haimerl, as it is a known technique and thus within the capability of one having ordinary skill.
- 26. Regarding limitations that seem to indicate exactly how long or spaced the teeth must be (ie. the ratio being greater/smaller than one) in order to be utilized for the reference signal and ignition timing: It would have been obvious to one having ordinary skill in the art at the time the invention was made to adjust these parameters, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller, 105 USPQ 233.* Additionally, it seems that these

Application/Control Number: 10/564,956 Page 7

Art Unit: 3747

exact values are matters of design choice. That is, the ratio threshold can be set at some value

for any size/spacing of teeth in order to perform substantially identically.

27. In re claim 11-8, see above (In re claim 11-6).

Conclusion

28. See PTO-892: Notice of References Cited.

Contact

Any inquiry concerning this communication or earlier communications from the examiner

should be directed to DAVID HAMAOUI whose telephone number is 571-270-5625.

examiner can normally be reached on Monday - Friday, 9:00am - 5:00pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Stephen Cronin can be reached on 571-272-4536. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR system,

see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/DAVID HAMAOUI/ Examiner, Art Unit 3747

/Stephen K. Cronin/

Supervisory Patent Examiner, Art Unit 3747